
References

1. L.P. Bouckaert, R. Smoluchowski, and E. Wigner, *Theory of Brillouin zones and symmetry properties of wave functions in crystals*. Phys. Rev. **50**, 58 (1936)
2. E. Wigner, *Gruppentheorie und ihre Anwendung auf die Quantenmechanik der Atomspektren*. (Vieweg, Braunschweig 1931)
3. A. Abragam and B. Bleaney, *Electron Paramagnetic Resonance of Transition Ions*. (Clarendon Press, Oxford 1970)
4. R.L. Aggarwal and A.K. Ramdas, *Optical determination of the symmetry of the ground states of group-V donors in silicon*. Phys. Rev. **140**, A1246 (1965)
5. G.B. Arfken and H.J. Weber, *Mathematical Methods for Physicists*. 5th Edn. (Academic Press, New York 2000)
6. N.W. Ashcroft and N.D. Mermin, *Solid State Physics*. (Holt, Rinehart and Winston, New York 1976)
7. C.S. Barrett, *Structure of Metals: Crystallographic Methods, Principles and Data*. (McGraw-Hill, New York 1952) p. 14
8. E.B. Barros, A. Jorio, Ge.G. Samsonidze, R.B. Capaz, A.G. Souza Filho, J. Mendes Filho, G. Dresselhaus, and M.S. Dresselhaus, *Review on the symmetry-related properties of carbon nanotubes*. Phys. Reports **431**, 261–302 (2006)
9. J.-L. Basdevant and J. Dalibard, *The Quantum Mechanics Solver: How to Apply Quantum Theory to Modern Physics*. (Springer, Berlin Heidelberg New York Tokyo 2000)
10. F. Bassani and G. Pastori Parravicini, *Electronic States and Optical Transitions in Solids*. (Pergamon Press, Oxford 1975)
11. H.A. Bethe, *Term-splitting in crystals*. Ann. Phys. **3**, 133–208 (1959)
12. B.N. Brockhouse, *Inelastic Scattering of Neutrons in Solids and Liquids*. (IAEA, Vienna 1961) p. 113
13. B.N. Brockhouse, L.M. Corliss, and J.M. Hastings, *Multiple scattering of slow neutrons by flat specimens and magnetic scattering by zinc ferrite*. Phys. Rev. **98**, 1721–1727 (1955)
14. B. Brockhouse and P. Iyengar, Phys. Rev. **111**, 747 (1958)
15. H.A. Buckmaster, Can. J. Phys. **40**, 11670 (1962)
16. G. Burns and A.M. Glaser, *Space Groups for Solid State Physicists*. (Academic Press, New York 1978)
17. M. Cardona and F.H. Pollack, *Energy band structure of Ge and Si: the $k \cdot p$ method*. Phys. Rev. **142**, 530 (1966)

18. Clebsch and Gordon, *Tables of Clebsch–Gordon Coefficients*.
<http://pdg.lbl.gov/2005/reviews/sclebrpp.pdf>
19. M.H. Cohen and E.I. Blount, *The g-factor and de Haas–van Alphen effect of electrons in bismuth*. *Phil. Mag.* **5**, 115–126 (1960)
20. E.U. Condon and G.Shortley, *Theory of Atomic Spectra*. (Cambridge University Press, Cambridge 1951) pp. 56–78
21. J.B. Conklin, Jr., L.E. Johnson, and G.W. Pratt, Jr., *Energy bands in PbTe*. *Phys. Rev.* **137**, A1282 (1965)
22. M. Damnjanović and M. Vujčić, *Magnetic line groups*. *Phys. Rev. B* **25**, 6987 (1982)
23. M. Damnjanović, I. Milosević, M. Vujčić, and R. Sredanović, *Full symmetry, optical activity and potentials of single- and multi-wall nanotubes*. *Phys. Rev. B* **60**, 2728 (1999)
24. M. Damnjanović, I. Milosević, M. Vujčić, and R. Sredanović, *Symmetry and lattices of single wall nanotubes*. *J. Phys. A: Math. Gen.* **32**, 4097–4104 (1999)
25. G. Dresselhaus, *Spin–orbit interaction in zinc-blende structures*. *Phys. Rev.* **100**, 580–586 (1955)
26. G. Dresselhaus and M.S. Dresselhaus, *Spin–orbit interaction in graphite*. *Phys. Rev.* **140**, A401–A412 (1965)
27. G. Dresselhaus and M.S. Dresselhaus, *Magneto-optical effects in solids*. (XXXIV Corso) (Academic Press, New York 1966) pp. 198–256
28. G. Dresselhaus and M.S. Dresselhaus, *An effective hamiltonian for the optical properties of silicon and germanium*. *Int. J. Quant. Chem.* **1S**, 595 (1967)
29. G. Dresselhaus and M.S. Dresselhaus, *Fourier expansion for the electronic energy bands in silicon and germanium*. *Phys. Rev.* **160**, 649–679 (1967)
30. G. Dresselhaus and M.S. Dresselhaus, *Interpolation methods for phonon spectra in crystals*. *Int. J. Quant. Chem.* **1S**, 333–345 (1968)
31. G. Dresselhaus, A.F. Kip, and C. Kittel, *Cyclotron resonance of electrons and holes in silicon and germanium crystals*. *Phys. Rev.* **98**, 368–384 (1955)
32. M.S. Dresselhaus, G. Dresselhaus and P. C. Eklund, *Science of Fullerenes and Carbon Nanotubes*. (Academic Press, New York, San Diego, 1996)
33. R.J. Elliott, *Theory of the effect of spin–orbit coupling on magnetic resonance in some semiconductors*. *Phys. Rev.* **96**, 266–279 (1954)
34. R.J. Elliott and K.W.H. Stevens, *Proc. Roy. Soc. A* **215**, 437 (1952)
35. G. Feher, *Electron spin resonance experiments on donors in silicon*. i. electronic structure of donors by the electron nuclear double resonance technique (ENDOR). *Phys. Rev.* **114**, 1219–1244 (1959)
36. E. Guadagnini, M. Martellini, and M. Mintchev, *Braids aand quantum group symmetry in Chern–Simons theory*. *Nuclear Phys. B* **336**, 581–609 (1990)
37. V. Heine, *Group Theory in Quantum Mechanics*. (Pergamon Press, Oxford 1960)
38. F. Herman and S. Skillman, *Atomic Structure Calculations*. (Prentice-Hall, Englewood Cliffs 1963)
39. C. Herring, *Effect of time reversal symmetry on energy levels of crystals*. *Phys. Rev.* **52**, 361 (1937)
40. G.F. Herzberg, *Infrared and Raman Spectra of Polyatomic Molecules, Molecular Spectra and Molecular Structure II*. (Van Nostrand Reinhold, New York 1949)
41. M.T. Hutchings, *Sol. State Phys.* **16**, 227 (1964)
42. H.A. Jahn and E.R. Teller, *Stability of polyatomic molecules in degenerate electronic states*. Part I – orbital degeneracy. *Proc. Roy. Soc. A* **161**, 220–235 (1937)

43. C.K. Johnson, *Crystallographic Topology 2: Overview and Work in Progress*. (International Press, Cambridge 1999)
44. H. Kamimura, *Theoretical aspects of band structures and electronic properties of pseudo-one-dimensional solids*. (Kluwer, Hingham 1985)
45. C. Kittel, *Introduction to Solid State Physics*. (Wiley, New York 1996)
46. W. Kohn and J.M.G. Luttinger, *Hyperfine splitting of donor states in silicon*. Phys. Rev. **97**, 883 (1955)
47. G.F. Koster, *Space groups and their representations*. (Solid State Physics, vol. 5) (Academic Press, New York 1957) p. 173
48. G.F. Koster, J.O. Dimmock, R.G. Wheeler, and H. Statz, *Properties of the Thirty-Two Point Groups*. (MIT Press, Cambridge 1964)
49. O.V. Kovalev, *Irreducible Representations of the Space Groups*. (Gordon and Breach, New York 1965) [Academy of Sciences USSR Press, Kiev 1961]
50. M. Lax, *Symmetry Principles in Solid State and Molecular Physics*. (Wiley, New York 1974)
51. D.B. Litvin, *Magnetic space-group types*. Act. Crystall. A **57(6)**, 729–730 (2001)
52. J.M. Luttinger, *Quantum theory of cyclotron resonance in semiconductors: general theory*. Phys. Rev. **102**, 1030 (1956)
53. G.Ya. Lyubarskii, *Application of Group Theory in Physics*. (Pergamon, New York 1960)
54. S.C. Miller and W.H. Love, *Tables of Irreducible Representations of Space Groups and Co-Representations of Magnetic Space Groups*. (Pruett Press, Denver 1967) Much of this material is also available on the web: <http://www.cryst.ehu.es/> (Bilbao Crystallographic Server, University of the Basque Country, Bilbao, Basque Country, Spain)
55. C.E. Moore, *Atomic Energy Levels (National Bureau of Standards, Circular #467)*. (NBS Press, Washington, 1949 [Vol. 1], 1952 [Vol. 2], 1958 [Vol. 3]). See <http://physics.nist.gov/PhysRefData/DFtdata/> as well as <http://physics.nist.gov/PhysRefData/ASD/>
56. A. Nussbaum, *Applied Group Theory for Chemists, Physicists and Engineers*. (Prentice-Hall, Englewood Cliffs 1971)
57. J.F. Nye, *Physical Properties of Crystals: Their Representation by Tensors and Matrices*. (Oxford University Press, Oxford 1985)
58. International Union of Crystallography, *International Tables for X-Ray Crystallography*. (Kynoch Press, Birmingham 1952) See <http://www.crystallography.net/> as well as <http://www.cryst.ehu.es/>
59. G.E. Pake and T.L. Estle, *The Physical Principles of Electron Paramagnetic Resonance*. (W.A. Benjamin, Cambridge 1973)
60. Yu.E. Perlin and M.Wagner, *Modern Problems in Condensed Matter Sciences*. Vol. 7: The dynamical Jahn–Teller Effect in Localized Systems. (North-Holland Physics Publishing, Amsterdam 1984)
61. B.M. Powell and P. Martel, *Crystal dynamics of tellurium*. Proc. 10th Int. Conf on Physics of Semiconductors 1970, pp. 851–855
62. L.M. Roth, *g factor and donor spin–lattice relaxation for electrons in germanium and silicon*. Phys. Rev. **118**, 1534–1540 (1960)
63. R. Saito, G. Dresselhaus, and M.S. Dresselhaus, *Physical Properties of Carbon Nanotubes*. (Imperial College Press, London 1998)
64. E.B. Barros, R.B. Capaz, A. Jorio, Ge.G. Samsonidze, A.G. Souza-Filho, S. Ismail-Beigi, C.D. Spataru, S.G. Louie, G. Dresselhaus, and M.S. Dresselhaus,

- Selection rules for one and two-photon absorption for excitons in carbon nanotubes.* Phys. Rev. **B73**, 242406 (R) (2006)
65. Ge.G. Samsonidze, A. Grüneis, R. Saito, A. Jorio, A.G. Souza Filho, G. Dresselhaus, and M.S. Dresselhaus, *Interband optical transitions in left- and right-handed single-wall carbon nanotubes.* Phys. Rev. B **69**, 205402–(1–11) (2004)
66. J. Slater and G. Koster, *Simplified LCAO method for the periodic potential problem.* Phys. Rev. **94**, 1498–1524 (1959)
67. V.J. Tekippe, H.R. Chandrasekhar, P. Fisher, and A.K. Ramdas, *Determination of the deformation-potential constant of the conduction band of silicon from the piezospectroscopy of donors.* Phys. Rev. B **6**, 2348–2356 (1972)
68. The International Tables for X-Ray Crystallographers, Vol. A, published by the International Union of Crystallography (1987) (also check web site)
69. The Optical Properties of Solids, Proceedings of the International School of Physics, Enrico Fermi Course XXXIV (Academic Press, 1966) p.198–256
70. M. Tinkham, *Group Theory and Quantum Mechanics.* (McGraw-Hill, New York 1964)
71. M. Vujčić, I.B. Bozović, and F. Herbut, *Construction of the symmetry groups of polymer molecules.* J. Phys. A: Math. Gen. **10**, 1271 (1977)
72. S.A. Werner, R. Colella, A.W. Overhauser, and C.F. Eagen, *Observation of the phase shift of a neutron due to precession in a magnetic field.* Phys. Rev. Lett. **35**, 1053 (1975)
73. C.T. White, D.H. Roberston, and J.W. Mintmire, *Helical and rotational symmetries of nanoscale graphite tubules.* Phys. Rev. B **47**, 5485 (1993)
74. P.A. Wolff, *Matrix elements and selection rules for the two-band model of bismuth.* J. Phys. Chem. Solids **25**, 1057–1068 (1964)
75. W.A. Wooster, *Tensors and Group Theory for Physical Properties of Crystals.* (Clarendon Press, Oxford 1973)
76. R.W.G. Wyckoff, *Crystal Structures.* 2nd Edn. (Krieger, New York 1981) Also available on the web: <http://www.cryst.ehu.es/> and <http://www.crystallography.net/>
77. Y. Yafet, *Space groups and their representations.* (Solid State Physics, vol. 14) (Academic Press, New York 1963) pp.1–98

Index

- A_3B_3 molecule 54
- Abelian group 3, 9, 44, 211–213
 - commuting operator 211
 - cyclic group 212
 - irreducible matrix representations 211
- Abelian subgroup 7
- achiral nanotubes 541, 542
 - characters for group D_{2nh} 541
 - characters for group D_{2nv} 542
- α -quartz 262, 268–273, 275
 - combined normal modes for Si and O atoms 270–272
 - comparison to tellurium 268, 269
 - crystal structure 268, 269
 - effect of stress on symmetry of crystal 273
 - lattice modes 268–274
 - mixing of normal modes by stress 272
 - nonsymmorphic 268
 - normal modes 269–272, 275
 - normal modes for oxygen atoms 270–272
 - normal modes for Si and for O 275
 - normal modes for Si atoms 270
 - orientational effect 273
 - polarizability tensor 273, 274
 - Raman spectra 274
 - site symmetries 269
 - space group 262
 - stress effects in normal modes 272–275
- angular momentum 433
 - orbital states 433
 - spin states 433
 - state degeneracy 433
 - state symmetry 433
 - transformation of Hamiltonian 433
- angular momentum states 127, 128
 - characters in T_d symmetry 127, 128
 - irreducible representation 128
- antiunitary matrix 21
- antiunitary operator 406
- associative law 3, 4
- axial point group 204
 - improper rotations 204
 - inversion 204
 - rotations 204
- axial stress effects on phonons 272, 273
 - example of α -quartz 273
 - orientational effect 272, 273
 - polarizability tensor 273
 - stress effect 273
 - symmetry lowering 272
 - symmetry of strain tensor 272, 273
- axial vectors 161
- $B_{12}H_{12}$ molecule 144
- basis functions 57–59, 72–75, 150, 355–358
 - arbitrary function 63
 - basis function table 59, 60
 - basis vectors 57–59, 61–75
 - Clebsch–Gordan coefficients 355–358

- definition 57–59, 61–75
- derivation of Γ_6^+ (Γ_{15}^+) 356, 357
- derivation of Γ_8^+ (Γ_{15}^+) 355, 356
- examples in cubic symmetry 73
- $\mathbf{k} \cdot \mathbf{p}$ matrix elements 359
- generalization of basis functions 358, 359
- generating irreducible representations 58–63
- irreducible representations 57–75
 - irreducible representations of double group 355
- matrix elements of a symmetry operator 58–63
- matrix representation 57, 61, 62
- orthogonality of basis functions 357
- partners 57, 64
- projection operators 64
- raising and lowering operator 355, 357
- splitting of $j = 3/2$ level in cubic symmetry 356
- square symmetry 73
- symmetry operations 57–75
- tables for coupling coefficients 358
- trace 63
- transformation from $|\ell s m_\ell m_s\rangle$ representation to $|j m\rangle$ 355–357, 359
- wave functions 57, 58, 62–65, 67–75
- basis functions for double group 353–362
 - matrix representation 353
 - matrix representation for spin components 354
 - notation for double groups based on single group 354
 - Pauli spin matrices 353, 354
 - spin raising and lowering operators 354
 - unit matrix 354
- basis functions of permutation groups 437–439
 - first excited state 438
 - for many electron system 437
 - ground state 438
 - ($n-1$) dimensional 439
 - $P(2)$ basis functions 439
 - $P(3)$ basis functions 439
- Pauli principle 438
- phase factors 438
- transforms as Γ_1^+ antisymmetric state 438
- transforms at totally symmetric state 438
- BaTiO₃ 247–250, 256–258
 - basis functions 258
 - equivalence transformation 256, 258
 - irreducible representations 258
 - normal mode patterns 258
 - normal mode patterns at X point 256–258
- Bloch function 215, 217, 220
 - basis functions 217
 - effect of point group operations 215
 - effect of symmetry operation 217
 - effect of translation 215, 217
 - eigenfunction 215
 - irreducible representation for group of the wave vector 215
 - orthonormality relation 217
 - periodic part 215, 217
 - plane wave factor 217
 - transformation properties 215
- Bloch theorem 212, 213, 216
 - Bloch function 213, 214
 - eigenfunction 212
 - eigenvalue of translation 213
 - periodic boundary conditions 213
 - phase factor 213
 - quantum number of translations 213
 - reciprocal lattice vector 213
 - translation group 212
 - translational symmetry 213
 - wave vector 213
- body centered cubic lattice 222–227
 - basis functions 224
 - Brillouin zone 222
 - character table $k = 0$ 224
 - character table for Δ point 224
 - character tables at high symmetry points 224, 225, 232
 - compatibility relations 227
 - group #229 222
 - group of the wave vector along the Λ axis 226

- group of the wave vector at high symmetry points 226, 227
- bonding 114, 115
 - antibonding states 115
 - atomic orbital 115
 - bonding states 115
 - charge overlap 114, 115
 - chemical bond 114, 115
 - concept of equivalence 115
 - diatomic molecule 115
 - directed valence bond 114, 115
 - exchange interaction 114, 115
- braids 434
- Bravais lattice 45, 188–190, 192, 196, 199, 207, 209, 210, 241
 - 14 space lattices 192
 - 2D lattices 199, 210, 211
 - 3D space groups 192
 - acoustic modes 241
 - allowed wave vector states 241
 - Bloch theorem 209
 - body centered 191
 - body centered cubic lattice 209
 - centered 210
 - crystallographic lattices 190
 - cubic 191, 196, 209
 - definition 188
 - degrees of freedom 241
 - dispersion relation 209
 - examples 192
 - face centered 191
 - face centered cubic lattice 209
 - fivefold axis 207, 208
 - fourfold axis 210
 - hexagonal 191, 210
 - holohedral group 190
 - invariance under translation 188
 - lattice constants 211
 - lattice vectors 210, 220
 - monoclinic 191
 - oblique 210
 - orthorhombic 191
 - periodic boundary conditions 211
 - periodic potential 209
 - primitive 210
 - primitive translation vectors 189, 190, 210
 - reciprocal lattice vector 210
 - reciprocal space 209
 - rectangular 210
 - restriction on symmetries 114, 207, 208
 - restrictions on possible rotations 191
 - simple cubic lattice 209
 - space groups 190, 192
 - square 210
 - subgroup 190
 - tetragonal 191
 - threefold axis 207
 - translational symmetry 207, 209
 - triclinic 191
- Brillouin zone 213, 218, 219, 235, 245, 280
 - body-centered cubic lattice (#229) 511
 - compatibility relations 219
 - essential degeneracy 218
 - extended 213, 280
 - extended Brillouin zone 213, 280
 - face-centered cubic lattice (#225) 511
 - first Brillouin zone 213
 - general point 219
 - graphite lattice 512
 - hexagonal lattice 512
 - high symmetry points 218, 219, 235
 - reciprocal lattice vector 213, 218
 - reduced Brillouin zone 280
 - rhombohedral lattice 512
 - simple cubic lattice (#221) 511
- bromine 276
 - crystal structure 276
 - infrared activity 275, 276
 - lattice modes 276
 - Raman activity 275, 276
 - space group 276
 - Wyckoff positions 276
- C_2H_2 molecule 143, 164
 - equivalence transformation 164
 - infrared activity 164
 - normal modes 164, 166, 177
 - optical polarization 164
 - Raman activity 164
- C_2H_4 molecule 143, 178
 - normal mode displacement 178
 - normal modes symmetries 178

- carbon nanotubes 205, 208, 237, 276, 533
 - achiral 205, 208, 237
 - armchair 205
 - character tables 538
 - chiral 205, 208, 237, 539, 540
 - compatibility relations 237
 - 1D Brillouin zone 237
 - 2D Brillouin zone 208
 - factor group 237
 - graphene 205
 - helicity 536
 - infrared active modes 276
 - isogonal point groups 237
 - lattice vector 237
 - line groups 208, 237
 - metallic 208, 237
 - mode symmetries 276
 - notation 208, 534
 - phonon modes 276
 - physical properties 205
 - point groups operations 205
 - polarization effects 276
 - quantum numbers 208
 - Raman active modes 276
 - selection rules for Raman scattering 276
 - semiconducting 208, 237
 - space group 208
 - structure 205, 534
 - translation vector 205
 - tubular 205
 - unit cell 533, 537
 - zigzag 205, 237
- CH₄ molecule 125–129, 168–170, 178
 - basis functions 169
 - combination modes 169, 170
 - equivalence transformation 168
 - irreducible representation of angular momentum 178
 - linear combination of 4 hydrogen orbitals 168
 - normal modes 169
 - overtones 169, 170
 - polarization effects in rotational interaction spectra 178
 - rotational levels 178
 - rotational–vibrational interaction symmetries 178
- character 29
 - definition 29
 - invariance under unitary transformation 29
- character of a representation 29, 33
 - importance of 33
- character tables 30, 31, 40, 43, 86, 89, 104, 110
 - carbon nanotubes 538
 - cubic group 86
 - cyclic groups 44
 - definition 30
 - direct product of groups 110
 - example 110
 - example of $P(3)$ 30
 - group C_{4h} 104, 110
 - group $D_3(32)$ 63
 - group D_{3h} 137
 - group T_d 126
 - higher to lower symmetry 86
 - irreducible representation 110
 - matrix representation 40–43
 - point groups 44
 - setting them up 40–43
 - symmetry operations 86
 - tetragonal group 89
- characters of direct product 103
 - direct product for two groups 103
 - direct product for two irreducible representations 103
 - direct product representation 103
- chiral carbon nanotubes 539, 540
 - characters for group D_N 539, 540
- class 9, 30, 31, 435–437
 - character of class elements 30
 - definition 9
 - example of D_3 31
 - example of $P(3)$ 31
- classes of permutations 435–437
 - class structure 436
 - example of $P(4)$ 436
 - example of $P(5)$ 436
 - irreducible representations 436
 - isomorphic 436
 - number of classes 435–437
 - number of elements 435
 - number of elements in a class 436, 437
 - $P(3)$ isomorphic to C_{3v} 436

- CO molecule 120–122, 128, 162
 - equivalence transformation 162
 - molecular vibration 162
 - normal modes 162
 - symmetry operations 162
- CO₂ molecule 54, 164, 165, 177
 - atomic displacements 177
 - equivalence transformation 164
 - infrared active modes 164, 177
 - normal modes 164, 165
 - Raman active modes 164, 177
 - rotational modes 177
 - symmetries for electronic states 177
 - symmetries for normal modes 177
 - symmetry group 177
 - use of blocks of atoms 165
- combination modes 156, 157, 159, 161
 - CH₄ molecule 156, 157, 169
 - direct product 156
 - effect of inversion symmetry 159
 - infrared active 156, 157, 159
 - irreducible representation 156
 - Raman active 156, 157, 159, 161
- compatibility between tetragonal (T_d)
 - and cubic (O) representations 526
- compatibility relations 219, 227–229
 - along Λ axis for cubic groups 228
 - around a circuit 229
 - basis functions 227, 229
 - Brillouin zone 227
 - connectivity 227
 - degeneracy 227
 - high to lower symmetry 229
 - labeling energy bands 229
 - level anticrossings 230
 - level crossings 230
 - lower to higher symmetry 230
- compatibility relations for space group
 - #194 520, 531
 - Γ , Δ , Σ , T 520, 531
- complex conjugation 16
- conjugation 9
- coset 7–10
 - definition 7
 - example 8
 - left coset 7, 10
 - multiplication 10
 - right coset 7, 10
- coupling coefficient table for double
 - group basis functions 525
- coupling coefficients for selected basis
 - functions for single group O 524
- crystal double groups 341–365
 - additional irreducible representations
 - of full rotation group 344
 - additional symmetry classes 344
 - additional symmetry elements 344
 - bands sticking together 363, 364
 - basis functions 353, 359, 360
 - Bloch function with spin 344
 - character for rotation by an angle α
 - and $\alpha + 2\pi$ for half integral j 341
 - character for rotation for $j = 1/2$ for
 - rotation group 345
 - character table for O double group
 - 346, 347
 - character table for the point group
 - D_6 364
 - character tables 341, 359, 360
 - character tables from the literature 347
 - characters for symmetry operations 343
 - Clebsch–Gordan coefficients 360
 - compatibility relations 360, 363
 - dimensionality of each representation
 - 345, 348, 364
 - direct product of double group 347
 - direct product of irreducible representation with spinor $D_{1/2}$ 344, 347
 - even-dimensional irreducible representations of full rotation group
 - 341, 343, 348
 - example of double group for O cubic
 - symmetry point group 344
 - experimental verification of 4π
 - periodicity for Fermions 342
 - half integral angular momentum
 - 341
 - history 342
 - identity element 342
 - irreducible representation for spinor
 - $D_{1/2}$ 346
 - irreducible representation notation
 - Γ_8^+ (Γ_{12}^+) 348, 349
 - irreducible representations 344

- Kramers degeneracy 348
- matrix elements 359
- matrix representation 353
- new symmetry element for rotation by 2π 342
- nonsymmorphic groups 362, 363
- notation for double group 341, 343
- number of classes 343, 345
- number of elements 342, 343
- number of irreducible representations 345
- odd-dimensional irreducible representations of full rotation group 341, 343
- orthogonality requirements of irreducible representations 346
- plane wave basis functions for double group representations 360–362
- rotation by 4π 341
- space group 363, 364
- special role of C_2 operation 343
- splitting of six-fold levels in cubic symmetry 348
- states for spinor 353
- symmetry operation $\mathcal{R}A_k$ 343
- symmorphic groups 361, 362
- time reversal symmetry 364
- vanishing structure factor 362, 364
- wonderful orthogonality theorem on character 346
- crystal field level splitting 79, 80, 85, 88, 90, 92–94, 349
 - angular momentum state 88, 92
 - axial field 90
 - basis functions 90
 - bonding orbitals 94
 - character tables 85, 350–352
 - crystal field > spin–orbit interaction 349
 - crystal potential 79, 81, 85
 - cubic field 85, 88, 90–92, 94
 - direct product 85, 349, 353
 - hexagonal field 95
 - higher to lower symmetry 85, 88, 90, 91
 - icosahedral field 95
 - impurity levels 79, 80, 94
 - inversion symmetry 88
 - irreducible representations 92
 - Laplace equation 93
 - level degeneracy 85
 - notation for quantum number of designations (s, l, j) 351
 - notation to label states 349
 - octahedral crystal field 88, 90, 91
 - optical transitions between crystal field levels 352, 353
 - orthorhombic field 93
 - perturbation theory 79
 - quantum numbers for a transition metal ion 349
 - rare earth ions 349
 - reducible representation 88
 - spherical harmonics 88, 91–95
 - spin–orbit interaction 80
 - splitting of sixfold level in a cubic field 349
 - splitting of spin–orbit levels in a crystal field 352
 - substitutional impurity 94
 - symmetry operation 85
 - tetragonal field 88, 90
 - two-electron states 353
 - weak field 90
- crystal field theory 79–92, 452
 - Coulomb interaction 80
 - crystal field 452
 - Dy^{3+} ion in D_{4h} crystal field 365
 - effect of application of stress along two fold axis 365
 - Er^{3+} ion in D_{4h} crystal field 365
 - Er^{3+} ion in I_h crystal field 365
 - hyperfine interaction 80
 - spin–orbit interaction 80, 349–351
 - strong field case 80, 81
 - transition metal ions 452
 - weak field case 81
- crystal structure determination
 - examples 206
 - experimental techniques 206
 - references 206
 - symmetry 206
- cubic point groups 87, 88
 - character table 86
 - characters 87
 - classes 87
 - cubic field 88
 - decomposition theorem 87

- irreducible representation 86, 88
- reducible representation 86–88
- site symmetries 196
- cubic space group #221 501
 - Hermann–Mauguin notation 501
 - Schoenflies notation 501
 - Wyckoff positions 501
- cubic space groups 194, 196, 222
 - basis functions 223
 - BCC #229 195, 196
 - Bravais lattice 196
 - character table 223
 - diamond structure #227 195
 - equivalence transformation 194
 - example of space group #221 195
 - example of space group #223 195
 - example of space group #225 195
 - example of space group #227 195
 - FCC #225 195, 196
 - irreducible representation 223
 - simple cubic #221 222, 501
 - site symmetries 196
 - zinc blende structure #203 195, 196
- cyclic group 211
 - commuting elements 211
- cyclic permutation 434
 - decomposition into cycles 434
 - definition 434
 - equivalence transformation 434
- 1D line groups
 - line groups 183
 - translations 183
- 2D Bravais lattice 235
 - translation vectors in real space 235
 - translation vectors in reciprocal space 235
- 2D hexagonal space groups 203
 - group $p31m$ 203
 - group $p3m1$ 203
 - group $p6$ 203
 - group $p6mm$ 203
 - symmorphic 207
- 2D oblique space groups 200, 201
 - general point 201
 - group $P1$ 200
 - group $p2$ 201
 - group $p211$ 200
- International Crystallography Tables 201
- motif 200
- notation 200
- oblique lattices 200
- site symmetry 201
- special points 201
- twofold axis 200
- Wyckoff letter 201
- Wyckoff position 201
- 2D rectangular space groups 201, 202
 - $c1m1$ 202
 - centered lattice 201, 202
 - full rectangular point symmetry 201
 - general point 201
 - glide planes 202
 - group $2mm$ 201
 - group $c1m1$ 202
 - group $c2mm$ 202
 - group $p1g1$ 202
 - group $p1m1$ 201, 202
 - group $p2gg$ 202
 - group $p2mg$ 202, 294, 295
 - group $p2mm$ 202
 - lower symmetry motif 201
 - Miller indices 202
 - mirror planes 202
 - nonsymmorphic 202
 - notation 201
 - primitive lattice 201, 202
 - site symmetry 202
 - symmorphic 201, 202
 - Wyckoff position 202
- 2D space groups 183, 198–203, 207, 489–498
 - 2D square space groups 207
 - Brillouin zone 294, 295
 - 2D oblique space groups 200, 201
 - 2D rectangular space groups 201
 - full point group symmetry 202
 - group $p4gm$ 203, 207
 - line groups 183
 - nonsymmorphic 183
 - symmetry operations 183, 294, 295
- 2D square space groups 203, 207
 - centered 207
 - combining translation vectors with glide planes 203
 - full point group symmetry 203

- glide planes 203
- group $p3$ 203
- group $p4mm$ 202, 203
- nonsymmorphic 203, 207
- notation 203, 207
- symmorphic 203
- 3D space groups 183–198, 205–208
- D_{2d} point group 193
 - combined with tetragonal Bravais lattice 193
 - rotation axes 193
 - symmetry operations 193
- d^6 configuration for $P(6)$ 454
- decomposition theorem 34, 35, 39
 - crystal field splitting 35
 - example 35
 - proof 34
 - uniqueness 34
- degeneracy 218
 - accidental degeneracy 218
 - essential degeneracy 218
 - non-essential degeneracy 218
- degenerate second order $\mathbf{k} \cdot \mathbf{p}$ perturbation theory 316–324
 - Brillouin–Wigner degenerate perturbation theory 318
 - coupling of Γ_{15}^- to states outside NDS 318
 - coupling of Γ_{15}^- to states within NDS 318
 - coupling strength of the Γ_{15}^- level to other levels 324
 - cyclotron resonance experiments 323, 324
 - determination of number of equivalent matrix elements 319
 - energy bands throughout the Brillouin zone 324
 - evaluation of non-vanishing elements 319
 - for a cubic Γ_{25}^+ level 317
 - intermediate states coupling to Γ_{15}^- 319
 - matrix element coupling to states outside NDS 319
 - matrix element coupling to states within NDS 319
 - matrix elements of $\mathbf{k} \cdot \mathbf{p}$ Hamiltonian coupling to Γ_{15}^- 319, 320
- nearly degenerate set of states (NDS) 317, 318
- off-diagonal contribution 322
- secular equations 317, 319
- states outside the NDS 317
- symmetries coupling to Γ_{15}^- band 319
 - Taylor expansion along high symmetry directions 323
 - Taylor expansion of secular equation 322
 - vanishing terms 316, 317
- diamond structure 207, 231, 232, 234, 236, 250–252, 296–303, 508, 515, 516
 - 8 atoms per cubic unit cell 232
 - basis functions at the X point 300, 301
 - Bragg reflection at X point 299
 - character tables for high symmetry points 232, 233
 - characters for the equivalence transformation 231
 - classes for the diamond structure 231
 - compatibility relations 233, 234, 251
 - connection to zinc blende structure #216 231
 - effect of symmetry operations on basis functions at X point 303
 - electronic band structure 232, 299
 - empty lattice calculations along ΓL and ΓX 298
 - energy bands for Ge 299
 - energy bands sticking together 298, 300, 302
 - energy dispersion about the X point 299, 302
 - equivalence transformation 231, 250
 - equivalence transformation for symmetry operations and classes 236
 - essential degeneracies 298
 - extra degeneracy at X point 234
 - form of symmetry operators 232
 - group of the wave vector at high symmetry points 232–234, 236, 296, 303

- group of the wave vector on the square face 234
- Hermann–Mauguin notation 502
- high symmetry points on the square face 234, 235
- irreducible representation of group of the wave vector at high symmetry points 232, 251
- LA branch 251
- lattice modes 250
- LO branch 251
- multiplication of symmetry elements 232
- nonsymmorphic 250, 296
- phase factor 232–234
- phonon dispersion relations 232, 251, 252
- phonon modes 251, 252
- primitive unit cell 232
- product of symmetry operations at high symmetry points 236
- Raman activity 250, 252
- Raman tensor 252
- screw axis 250
- space group #227 502, 508, 515, 516
- structure factor vanishes at X point 299
- symmetry interchange at X point 301
- TA branch 251
- TO branch 251
- translation vectors 232, 296
- two atoms per unit cell 232
- two sublattices 232
- vanishing structure factor on square face of Brillouin zone 300
- Wyckoff positions 502
- diatomic molecules 117–124, 142
 - antibonding 119–123, 143
 - bonding 119–123, 142
 - character table 119
 - directed valence bonding 120, 123
 - electron energy level 123
 - equivalence transformation 119, 123
 - evenness 118
 - group $C_{\infty v}$ 118
 - group $D_{\infty h}$ 118, 119
 - group of Schrödinger's equation 119
 - heteronuclear 117, 120–123
 - HOMO 122
 - homonuclear 117–121
 - homopolar 117
 - inversion symmetry 118
 - irreducible representation 119
 - linear combination of atomic orbitals 119, 121
 - LUMO 122
 - matrix Hamiltonian 124
 - mirror plane 118
 - molecular energy levels 122, 124
 - oddness 118
 - Pauli principle 120
 - secular equation 123
 - selection rules 120
 - singlet states 120, 122
 - triplet states 120, 122
 - unitary transformation 120
- diffraction pattern 45
- direct product 98, 100, 101, 104, 109, 158–161, 170, 172, 175, 189, 204
 - definition 189
 - electron–photon scattering 160
 - for groups 98, 100, 101, 109
 - for representations 98, 101, 102
 - infrared selection rules 158, 159
 - selection rules for CH_4 molecule 169
 - selection rules for Raman tensor 160
 - semi-direct product 189, 204
 - two vectors 172
 - vibrational and rotational angular momentum irreducible representation 175
 - weak direct product 204
- direct product of groups 100, 101, 109
 - definition 100, 101
 - examples 100, 101, 109
 - notation 101
- direct product of irreducible representations 101, 102
 - definition 101
 - direct product group 101, 102
 - irreducible representations 102
 - matrix multiplication 102
 - notation 101
 - proof 101, 102
- direct product of matrices 109
- direct product representations 104

- character table 104
- decomposition theorem 104
- example 104
- irreducible representation 104
- notation 104
- directed valence bonding 113, 117–120, 128, 129
 - antibonding 117
 - bond strengths 113, 129
 - bonding 117, 128
 - diatomic molecule 117–119, 121
 - directed valence representation 118
 - equivalence transformation 118
 - example 128
 - linear combination of atomic orbitals 117, 118
 - molecular orbitals 118
 - sp^3 bonds 128
- dispersion relations 209
 - Brillouin zone 209
 - degeneracy 209
 - group of the wave vector 209
 - high symmetry points 209
 - symmetry of wave function 209
 - symmetry operator 209
- double groups *see* crystal double groups
- effect of time reversal operator on
 - energy dispersion relations 407, 408
 - action of time reversal operator 407
 - action on Bloch wave function 407
 - bands sticking together 408
 - degeneracies imposed by 407
 - equal and opposite slopes for $E(\mathbf{k})$ at zone boundary 408
 - Herring's rules 408
 - time reversal symmetry pair 408
 - zero slope of $E(\mathbf{k})$ at zone boundary 408
- effective g -factor 378–383, 385–387, 389, 400
 - anticommutator of wave vector components 380
 - antisymmetric part of secular equation 380, 381
 - basis functions for Γ_7^+ (Γ_{25}^+) 385
 - basis functions for Γ_7^- (Γ_2^-) 383
 - basis functions for Γ_8^+ (Γ_{25}^+) 383
 - Bohr magneton 381
 - commutation relation 380
 - commutator of wave vector components 380, 381
 - conduction band effective mass 386
 - connection of spin and orbital effective mass tensors 388
 - contribution from Γ_7^+ (Γ_{25}^+) levels 385
 - contribution from Γ_8^+ (Γ_{25}^+) levels 385
 - contribution to effective magnetic moment 385
 - cyclotron resonance transitions 387
 - effective g -factor for germanium at $k = 0$ 383, 385
 - effective g -factor formula 386
 - effective g -factor sum 385
 - effective magnetic moment 382, 385
 - effective mass approximation in a magnetic field 378
 - effective mass tensor 380, 382
 - effective mass wave functions 381
 - eigenvalues 379
 - energy levels of a free electron in a magnetic field 382
 - evaluate effective magnetic moment 383
 - evaluate effective mass 383
 - for germanium conduction electrons in Γ_7^- levels 386
 - for InSb conduction electrons 386
 - generalized momentum vector 382
 - Hamiltonian for electron in a magnetic field 378
 - identification of double group with single group of origin 383
 - interband Landau level transitions 388
 - \mathbf{k} as noncommuting operator 379, 380
 - Kohn–Luttinger transcription 379
 - Landau level separation 387
 - Landau level separation and spin splitting 388
 - Landau level separation larger than spin splitting 388
 - matrix elements for p_x, p_y 385

- matrix elements for evaluating
 - effective magnetic moment 383
- nearly degenerate set of levels 379
- noncommuting wave vector components 381
- nondegenerate valence band for hexagonal symmetry (group #191) 400
- secular equation for $\mathbf{k} \cdot \mathbf{p}$ Hamiltonian 379
- spin effective mass 387
- spin resonance experiments 388
- spin splitting 387
- symmetrized plane waves for various irreducible representations 389
- symmetrized secular equation 380
- transformation properties of antisymmetric part of secular equation 381
- transformation properties of commutator of wave vector components 381
- two-band model 388
- Zeeman effect 382
- elastic modulus tensor 467
 - direct product of stress and strain tensors 467
 - form of elastic modulus tensor 467
 - notation as 6×6 matrix 468
- elastic modulus tensor under full rotational symmetry 469, 471
 - antisymmetric irreducible representations 469
 - effect of full rotational symmetry 469
 - effect of permutation symmetry 469
 - evaluation of elastic constants 6×6 471
 - nonvanishing constants 470
 - symmetric irreducible representations 469
 - symmetrized stress-strain relations 470
- elastic modulus tensor under lower symmetry groups 472-476
 - evaluation from direct product of stress and strain tensors 472
 - going from full rotational symmetry to icosahedral symmetry 472
- electromagnetic interaction 97, 98, 157, 158, 327
 - connection to $\mathbf{k} \cdot \mathbf{p}$ perturbation theory 327
 - electromagnetic interaction Hamiltonian 97, 98, 157, 158, 327
 - matrix element of momentum 327
 - relation of electromagnetic interaction to effective mass tensor 327
 - selection rules 158
 - transformation properties 157, 158
 - vector potential 98
- electron-photon scattering 160
- electronic energy levels 279, 291
 - BCC lattice 293, 294
 - Brillouin zone for simple cubic structure 279, 288
 - compatibility relations between X point and Δ point 289
 - diamond structure 299
 - dispersion of $E(\mathbf{k})$ near X point 299
 - electronic dispersion relations 299
 - empty lattice along Γ - R for simple cubic structure 293, 294
 - empty lattice along Γ - X for simple cubic structure 293, 294
 - empty lattice at Δ point cubic lattice 286, 288
 - empty lattice at X point for simple cubic group 288-294
 - empty lattice at high symmetry points 286
 - empty lattice for BCC structure at high symmetry points 293
 - empty lattice for diamond structure at high symmetry points 297
 - equivalence transformation 290, 291
 - FCC lattice 294
 - for simple cubic 302
 - group of the wave vector 302
 - lifting degeneracies 294
 - linear combinations of plane waves forming basis functions 302
 - nearly free electron model 279
 - nonsymmorphic structures 294-301
 - symmetrized plane waves 286, 288, 290-292
 - symmetrized plane waves at X point 289

- symmorphic structures 293, 294
- weak periodic potential with BCC symmetry 294
- electronic states 113–115
 - basis functions 114
 - block diagonal form 114
 - eigenfunctions 114, 279
 - eigenvalues 114, 279
 - energy eigenvalues 113
 - equivalence concept 114
 - free atomic orbitals 114
 - many electron states 114, 115
 - one-electron potential 113
 - Pauli principle 114, 115
 - secular equation 114
 - valence electrons 114
 - wavefunctions 115
- electronic–rotational level interactions (λ -doubling) 175, 176
- electronic–vibrational level interactions (vibronic levels) 175, 176
- empty lattice 279–281, 303
 - 2D hexagonal lattice #17 $p6mm$ at $k = 0$ 302
 - diamond structure at $k = 0$ 303
 - diamond structure at X point 303
 - for 2D hexagonal lattice #17 $p6mm$ at Γ point 303
 - for BCC structure at $k = 0$ 303
 - for FCC structure at L point 302
 - for FCC structure at X point 302
 - for simple cubic structure 302
 - lifting degeneracy by periodic potential 303
 - linear combinations of plane waves forming basis functions 302
 - symmetry operations on diamond structure wave functions at X point 303
 - empty lattice at $\mathbf{k} = 0$ 282–284, 286
 - basis functions for irreducible representations 285
 - BCC structure #229 286
 - Brillouin zone for simple cubic lattice 288
 - character table for symmetry operations of group of the wave vector 290
 - compatibility relations 288, 289
 - cubic symmetry operations 282, 284
 - degeneracy symmetry 283
 - diagonalizing matrix Hamiltonian 286
 - diamond structure #227 at high symmetry points 297
 - eigenfunctions at X point 289–292
 - energy eigenvalues 282, 283, 286, 293
 - equivalence transformation 282, 284, 289, 292
 - group of the wave vector 282, 288, 290
 - Hamiltonian in block diagonal form 282, 284, 286
 - irreducible representations 282, 284, 291
 - level symmetry 282, 284
 - lifting level degeneracies 286, 289, 303
 - linear combination of plane wave states 282–286, 288–293, 302
 - notation 290
 - reciprocal lattice vector 282, 283, 286
 - simple cubic lattice #221 286, 287, 302
 - standard references 288
 - structure factor 297
 - weak periodic potential 286
- empty lattice with spin–orbit interaction 368, 399
 - direct product of spinor 368
 - double group at high symmetry points 399
 - double group irreducible representations 368
 - double group representation related to single group origin 368
 - Kramers degeneracy 368, 369
- energy bands with spin–orbit interaction 367, 368, 376–383, 385–387, 389–399
 - bands sticking together 399
 - basis functions 375
 - connection between the Slater–Koster method and $\mathbf{k} \cdot \mathbf{p}$ perturbation theory 389, 396, 397
 - double groups 367

- effect of screw axes 399
- effective g -factor 378–383, 385–387, 389
- Hamiltonian 367
- secular equation for valence band of group IV semiconductor 375–377
- secular equation into block diagonal form 368
- wave functions 367
- equilateral triangle 4, 6, 67
 - matrix representation 5
 - symmetry operations 4
- equivalence concept 113, 115
 - atomic sites 115
 - equivalence representation 115
 - linear combination of atomic orbitals 114
- equivalence representation 36, 115, 116
 - characters 116
 - equivalent sites 116
 - linear combination of atomic orbitals 116
 - matrix representation 115, 116
- equivalence transformation 17, 117, 221
 - characters 117, 150, 221
 - decomposition into irreducible representations 221
 - equivalent atoms (sites) 221
 - for H_2O molecule 154
 - irreducible representations 221
 - phase factor for translations 221
 - reducible representation 221
- $F\bar{4}3m$ (diamond structure, group #227) 230
 - effect of symmetry operation on A and B atoms 230
 - effect of symmetry operation on basis function of diamond structure 230
 - factor group 231
 - phase factor 231
 - primitive unit cell 231
 - screw axis 231
 - two interpenetrating FCC sublattices 231
- face centered cubic lattice (FCC, group #225)
 - basis functions 224
 - character tables 223–227
 - compatibility relations 227
- factor group 7, 11, 13, 110, 189, 190, 231
 - cosets 188, 189
 - definition 11
 - example 11, 13
 - form of symmetry operations 231
 - group properties 189
 - irreducible representations 190
 - isomorphic to point group 189, 231
 - multiplication of cosets 189
 - multiplication table 13
 - multiplier algebra 190
 - multiplier groups 190
 - multiplier representation 190
 - self-conjugate subgroup 11
- five-electron states 451–454
 - allowed states 452
 - antisymmetric irreducible representation 451
 - character table for $P(5)$ 451, 453
 - classes of $P(5)$ 451, 453
 - d^5 configuration for $P(5)$ 453, 454
 - direct product 452
 - equivalence transformation 453
 - irreducible representations 451, 452
 - multiplication of elements 453, 454
 - p^3d^2 configuration 453, 454
 - Pauli allowed states 453, 454
 - symmetries 452
 - table of transformation properties 452
- fivefold symmetry body centered cubic (BCC) structure 45, 46, 50, 53, 191, 207, 208
- $Fm\bar{3}m$ (O_h^5) group 223
 - Brillouin zone 223
 - high symmetry axes and points 223
- four-electron states 448–451
 - $1s^32s$ configuration 449
 - allowed states 450, 451
 - character table for $P(4)$ 449
 - classes 448
 - equivalence between p^4 electron and p^2 hole states 450, 451

- irreducible representations 448–450
- $P(4)$ permutation group 448
- p^4 configuration 449, 451
- s^4 configuration 449
- spin configurations 448
- table of transformation properties 449
- free electron energy bands 279–281
 - Bloch function 279–281
 - empty lattice 279–281
 - FCC structure 280, 281
 - first Brillouin zone 280
 - full rotation group 280
 - glide planes 280
 - group of the wave vector 280
 - high symmetry points 280, 281
 - irreducible representations 280
 - level degeneracies 280, 281
 - lifting level degeneracy 281
 - periodic potential 280, 281
 - phase factor 281
 - plane waves 279, 280
 - reduced Brillouin zone 280
 - screw axes 280
 - simple cubic crystal 280
 - wave vector 280
- full rotation group 80–90, 95, 172
 - addition of angular momentum 172, 173
 - addition theorem for spherical harmonics 82
 - angular momentum 81, 82, 84, 172
 - axis of quantization 82
 - azimuthal angle 82
 - basis functions 80–84
 - characters for inversion 83
 - characters for rotation 80–84, 95
 - compatibility to group O 527
 - compatibility to group T_d 528
 - compound operation 84
 - continuous group 81
 - dimensionality of representations 84
 - direct product 84, 172
 - eigenfunctions 80–84
 - higher to lower symmetry 80, 84
 - inversion operation 84
 - irreducible representation 80–86
 - Legendre polynomials 81
 - level degeneracy 84, 85
 - matrix representation 82, 83
 - odd-dimensional representations 82
 - polar angle 82
 - polar coordinate system 82
 - reducible representation 84
 - rotation operator 82
 - selection rules 172
 - spherical harmonics 80–84, 95
 - Wigner coefficient 172
 - Wigner–Eckart theorem 172
- glide planes 186, 187, 198
 - axial glide 187
 - definition 187
 - diagonal glide 187
 - diamond glide 187, 198
 - examples 186
 - n -glide 187
- graphene 258–262, 427
 - eigenvector 262
 - equivalence transformation 260, 261
 - group of the wave vector 259, 260
 - hexagonal Bravais lattice 259
 - high symmetry points 259
 - lattice distortion 262
 - lattice modes at K point 261, 262
 - lattice vector 259
 - mode degeneracy 261
 - normal mode displacements 261, 262
 - phase factor 262
 - projection algebra 262
 - real space vector 260
 - reciprocal lattice vector 259–261
 - symmetry group #191 (D_{6h}^1) $P6/mmm$ 258
 - symmetry operations 260
 - time reversal symmetry effects 427, 428
- graphite 237, 303, 427
 - electron band structure 237
 - equivalence transformation for 4 atoms per unit cell 236
 - structure factor at various high symmetry points 303
 - symmetry operations of the group of the wave vector 237
 - time reversal symmetry 427
- graphite space group #166 505

- Hermann–Mauguin notation 505
 Schoenflies notation 505
 Wyckoff positions 505
- group 3, 10, 11, 15
 abstract group 15
 commuting 3
 definition 3
 element 3
 group of Schrödinger's equation 11, 12, 71, 149, 160
 simple group 10
 substitution group 15
- group C_{2v} 154, 155
 application to H₂O molecule 154
 character table 154, 155
- group $C_{\infty v}$ 162
 application to CO molecule 162
 heterogenous linear molecule 162
 homogenous linear molecule 162
 molecular vibrations 162
 symmetry operations 162
- group $D_{\infty h}$ 162–165
 application to CO₂ molecule 164, 165
 eigenvalue transformation 163
 for linear homogeneous molecule 164, 165
 for O₂ molecule 163
 infrared active 163
 molecular vibrations 163
 Raman active 163
 symmetry operations 163
 to C₂H₂ molecule 164, 165
- group element 3, 4
 commuting 3
- group of Schrödinger's equation 12, 71, 149, 160
 definition 12
 eigenfunctions 12
 Hamiltonian 12
 higher to lower symmetry 71
 irreducible representations 71
 matrix representation 12
- group of the wave vector 209, 214–237
 2D hexagonal lattice 215, 235
 2D square lattice 214, 215
 at general point 215
 at high symmetry point 215, 222–237
- basis functions 217–219, 223
 BCC lattice 210, 225
 Bloch functions 219
 character tables 223–226, 234, 235, 237
 classes 231
 compatibility relations 225, 235
 cubic groups at $k = 0$ 223
 definition 215
 degeneracy 215
 diamond structure 210, 230–235
 equivalence transformation 231
 factor group 218, 219
 FCC lattice 210, 225
 higher to lower symmetry 225
 irreducible representation of group of the wave vector at high symmetry points 215, 219, 232, 235
 large representations 219, 220
 lower to higher symmetry 225
 matrix representation 219
 multiplication tables 224
 multiplier algebra 219, 220
 nonsymmorphic structures 218, 220, 232–234
 phase factor 234
 phonon dispersion relations 232
 point group 209, 219, 220
 reciprocal lattice vector 214
 references 235
 simple cubic lattice 209, 222–230
 small representation 219, 220
 special high symmetry points 235
 star of a wave vector 214, 218
 subgroup 219
 symmetry elements 215
 translations 209, 214, 215, 219
- H₂⁻ ion 120, 142, 143
 Hamiltonian for vibrations 148
 eigenfunctions 148
 eigenvalues 148
 kinetic energy 148
 matrix elements 148
 potential energy 148
- helium molecule He₂ 142
 Hermann–Mauguin symmetry notation 47, 479, 500

- complete 230 space groups listing of 3D groups 500
- Hermitian matrix 16, 21
- Herring's rules 408
 - band sticking together 410
 - example with group C_4 409, 410
 - time reversal 409, 410
- hexagonal space group #194 502, 504
 - Hermann–Mauguin notation 502, 504
 - Schoenflies notation 502, 504
 - Wyckoff positions 502, 504
- higher to lower symmetry 17, 55, 74, 110
 - icosahedron and dodecahedron 74
 - polarization effects 110
 - selection rules 110
- homomorphic 15, 16
- hydrogen molecular ion 120, 142, 143
- hydrogen molecule 119, 120
- hydrogenic impurity problem 328
 - crystal potential of periodic lattice 329, 330
 - donor states 329
 - effective Bohr radius 329
 - effective mass Hamiltonian 328
 - effective mass theorem 328, 329
 - hydrogenic impurity levels 329
 - lost symmetry information 328, 329
 - screened Coulomb potential 329
 - substitutional impurity 329
 - valley–orbit interaction 329
- icosahedral molecule 144, 178
 - equivalence transformation 178
 - infrared activity 178
 - normal modes 178
 - polarization selection rules 178
 - Raman activity 178
 - rotational–vibrational interaction symmetries 178
 - symmetries of rotational levels 178
- icosahedron symmetry 142, 144
- identity element 3
- independent components of tensors
 - application of irreducible representation $L = 0$ to all tensors 463
 - cubic O_h symmetry 464, 465
 - direct evaluation from theorem 464–467
 - for nonlinear optic tensors 464–467
 - full rotational symmetry 463
 - going from full rotational to D_{6h} symmetry 467
 - going from higher to lower symmetry from full rotational group 464
 - hexagonal D_{6h} symmetry 466, 467
 - nonvanishing third rank tensor 467
 - tetrahedral T_d symmetry 466
- index of a subgroup 11
- infrared activity 157–160
 - combination modes 158, 159
 - complementary to Raman activity 160
 - direct product 158, 159
 - H_2O molecule 158
 - oscillating dipole moment 157, 158
 - perturbation Hamiltonian 157
 - selection rules 158–160
- inverse element 3
- irreducible representation for space groups 224
 - basis functions 224
 - character table 224
 - even function 224
 - notation 223
 - odd function 224
- irreducible representations 17, 18, 22, 28, 31–33, 35
 - definition 17
 - dimensionality 31
 - examples 28
 - number of representations 35
 - orthogonality 31
 - primitive characters 31–33
 - uniqueness 33
 - vector space 35
- irreducible representations for permutation groups 438
 - antisymmetric Γ_1^s 438
 - $(n-1)$ dimensional representation Γ_{n-1} 438
 - phase factors 438
 - symmetric Γ_1^a 438
- isomorphic 15, 16
- Jahn–Teller effect 141, 142

- definition 141
- dynamic 141
- example 142
- geometric distortion 141
- linear effect 142
- Renner–Teller effect 142
- static 141
- symmetry-lowering 141
- time reversal symmetry 142
- $\mathbf{k} \cdot \mathbf{p}$ perturbation theory 305–312, 316–327, 335, 336, 369–378, 399, 400
 - antibonding bands 306
 - bonding bands 306
 - connection to valley–orbit interaction in semiconductors 327–335
 - coupling to intermediate states in second order degenerate perturbation theory 335, 336
 - degenerate second order $\mathbf{k} \cdot \mathbf{p}$ perturbation theory 324
 - effect of small periodic potential to split degeneracy of BCC empty lattice energy band at H point 336
 - effective mass formula 310
 - equivalence transformation 306
 - extrapolation method 305, 324
 - for hybridized s -bands and p -bands 306
 - independent matrix elements 309
 - interpolation method 305, 324
 - interpretation of optical experiments 326, 327
 - longitudinal effective mass component 311
 - momentum matrix element 309–311
 - nondegenerate $\mathbf{k} \cdot \mathbf{p}$ perturbation theory 308–311, 324, 326, 335, 336
 - oscillator strength 311
 - symmetry based energy band model 305
 - transformation properties of
 - perturbation Hamiltonian 308
 - transverse effective mass component 311
 - two-band model 311–314
- $\mathbf{k} \cdot \mathbf{p}$ perturbation with spin–orbit interaction 369–378, 399, 400
 - basis functions 372
 - Bloch functions with spin 369
 - coupling to intermediate states 371, 374
 - for valence band of group IV semiconductor 374, 399
 - form of $E(\mathbf{k})$ for Γ_6^+ level 373
 - generalized momentum operator 371
 - independent matrix elements 370–372
 - irreducible representations 370
 - $\mathbf{k} \cdot \mathbf{p}$ expansion for nondegenerate Γ_6^+ level in the simple cubic structure 371–374
 - $\mathbf{k} \cdot \mathbf{p}$ perturbation Hamiltonian with spin and spin–orbit perturbation 370
 - nondegenerate perturbation theory $E_n^{I_i}(\mathbf{k})$ 370, 399, 400
 - Schrödinger’s equation for periodic part of Bloch function 369
 - transformation from $|\ell s m_\ell m_s\rangle$ representation to $|j l s m_j\rangle$ 369
- lattice modes 241–277
 - at high symmetry points 244, 253
 - at zone center 245–253
 - block diagonal form 241
 - compared to molecular vibrations 241, 244, 245
 - compatibility relations 244
 - degeneracies 244
 - degrees of freedom 245
 - dependence on wavevector 244
 - effect of symmetry operation on normal modes 245
 - effect of translations 245
 - eigenvector 244
 - equivalence transformation 244, 245, 253
 - group of the wave vector 244, 245, 253
 - infrared activity 241, 244
 - irreducible representations 244
 - NaCl structure 253
 - nonsymmorphic space group 245

- normal modes 241, 244
- number of phonon branches 245
- phase factor 245, 253
- phonon-assisted optical transitions 244
- polarization effects 244
- Raman activity 241, 244
- secular determinant 241
- selection rules 244
- symmetry classification 244
- symmorphic space group 245
- transformation of the vector 244
- zinc blende structure 253
- line group 204, 205, 208, 237
 - axial point group 204
 - carbon nanotubes 204, 205, 208, 237
 - commutation 204
 - direct product 204
 - families 204, 205
 - identity operation 204
 - irreducible representations 237
 - symmetry elements 204
 - translational symmetry 204
 - weak direct product 204, 205
- linear combinations of atomic orbitals (LCAO) 67–70, 74
 - arbitrary functions 69
 - basis functions 69
 - example $P(3)$ 67–70, 74
 - irreducible representations 67, 68
 - matrix representation 68, 70
 - projection operator 68
 - unitary representation 70
- linear molecules 161–166, 173
 - application to C_2H_2 164–166
 - application to CO 161–163
 - application to CO_2 164
 - application to H_2 161
 - application to HCl molecule 171
 - application to O_2 163
 - breathing mode 162, 163
 - dipole moment 173
 - equivalence transformation 164
 - infrared activity 162–164
 - molecular vibrations 161–166
 - permanent dipole moments 171
 - Raman activity 162–165
 - rigid rotator spectra 171
 - rotational selection rules 171, 173
- magnetic point groups 416–426, 428, 429
 - antiferromagnetic ordering 420, 421, 424–426
 - antiunitary operators 418
 - chalcopyrite structure 429
 - chemical unit cell 424
 - classification of magnetic point groups 420, 421
 - color groups 426
 - cosets 422
 - examples of magnetic structures 423–426, 428, 429
 - ferromagnetic ordering 420, 421, 423, 428
 - group D_{4h} (D_{2h}) 425
 - invariant unitary subgroup 422
 - inversion operator 423, 428
 - Jahn–Teller effect 419
 - magnetic Bravais lattices 418–421, 424, 425
 - magnetic field effect 428
 - magnetic phases of EuSe 425
 - magnetic subgroup 422, 423, 425
 - magnetic symmetry elements 418
 - MnF_2 424
 - multiplication rules for symmetry elements 418, 422
 - notation 420–423
 - orthorhombic structure D_{2h} (C_{2h}) 423
 - Rutile structure 424, 425
 - spin flipping operations 425
 - structural lattice distortion 419
 - symmetry elements 419, 422, 425, 426
 - tetragonal group D_{4h} (D_{2d}) 425
 - time reversal operator 416, 418, 419, 423, 428, 429
 - translation vector 426
 - type of magnetic point groups 418
 - unitary operators 418
 - zinc blende structure 429
- matrix elements 359
 - for double groups 359
 - number of independent matrix elements 359
- matrix representation 15–18, 186
 - definition 15

- degeneracy 18
- dimensionality 17
- examples for $P(3)$ 18
- inverse 186
- matrix algebra 16
- multiplication 186
- notation 185, 187
- orthogonal matrices 17
- orthonormal matrices 17
- symmetric elements 18
- trace 17
- translations 185
- uniqueness 17
- unitary matrices 17
- mirror planes 48
- molecular bonding 121
 - antibonding 121
 - bonding 121
 - diatomic molecule 121
- molecular electronic states 149
- molecular energy levels 113
 - Born–Oppenheimer approximation 113
 - electronic motion 113
 - rotational motion 113
 - vibrational motion 113
- molecular Hamiltonian 149
 - block diagonal form 149
 - eigenvalues 149
 - harmonic oscillator 149
- molecular vibrations 154–156, 158–166, 168, 169
 - antisymmetric stretch mode 154, 156, 164
 - bending modes 164–166
 - blocks of atoms within a molecule 165
 - breathing mode 154–156, 162, 166, 167
 - C_2H_2 molecule 164, 166
 - CH_4 molecule 157, 168–170
 - characters for irreducible representations 151
 - characters for pure rotations 150, 151
 - characters for the vector 150
 - characters for translation 151
 - CO molecule 162
 - CO_2 molecule 164
 - combination modes 156–159, 161, 170
 - coupling between rotational and vibrational states 171, 173, 174
 - coupling of modes with the same symmetries 169
 - degrees of freedom 150
 - dynamical matrix 147
 - eigenvalues 149, 150
 - examples 151
 - H_2O molecule 154–156, 158
 - Hamiltonian 147–149
 - infrared active 151, 157–159, 164, 169
 - linear molecule 161–166
 - NH_3 molecule 165, 167, 168
 - normal modes 147–151, 157, 164–167
 - O_2 molecule 163
 - overtones 156–158
 - phase related normal modes 168
 - polarization 158
 - potential function 147, 148
 - Raman active 151, 157, 159–161, 164, 169
 - reducible representation 150
 - restoring forces 147
 - rotations 155, 161
 - secular equation 148, 149
 - selection rules 147, 151, 160, 161, 171
 - symmetric stretch mode 154, 156, 164, 166
 - motion of center of mass 156
 - translations 155
- multiatomic molecule 124–141
 - angular momentum states 127, 133, 143, 144
 - antibonding 125, 132, 145
 - bonding 125, 132, 145
 - configuration mixing 134
 - directed valence bonding 124, 125, 133, 134, 144
 - electron energy levels 123
 - electronic orbitals 126, 127
 - equivalence transformation 124, 126, 130, 133, 134, 143
 - hexagonal symmetry 129, 130

- irreducible representations 126, 127, 129, 135
- linear combination of atomic orbitals 124, 126, 127, 129, 130, 132, 133, 144
- matrix representation 126, 131
- octahedral bonding 133
- secular equation 131, 144
- tetrahedral bonding 125
- multiplication tables 4, 5, 7, 37, 43, 511
- multiplier group 221
 - effect of symmetry operations 221
 - irreducible representation 221
 - multiplication rules 220, 221
 - multiplier algebra 221
 - phase factor 221
- multivalley semiconductor impurity
 - problem 330, 331
 - central cell corrections 331
 - $D_{\infty h}$ symmetry 330, 331
 - ellipsoidal constant energy surfaces for donor impurities 330
 - Ge with 4 valleys 330
 - Si with 6 valleys 330
 - splitting of impurity levels due to crystal field 330, 331
- N₂O molecule 177
 - atomic displacements 177
 - infrared active modes 177
 - Raman active modes 177
 - rotational modes 177
 - symmetry group 177
- NaCl structure 246, 247, 254, 255
 - at high symmetry points 254
 - compatibility relations 247, 254
 - equivalence transformation 246, 254
 - infrared activity 247
 - lattice modes 246, 254
 - optical branches 247, 255
 - phase factor 255
 - phonon modes 246, 254, 255
- nanotube *see* carbon nanotubes
- Nb₃Sn 207, 275
 - infrared activity 275
 - normal modes 275
 - polarization effect 275
 - Raman activity 275
 - structure 207
- Wyckoff positions 207
- NH₃ molecule 124, 125, 165–168
 - breathing modes 166, 167
 - building blocks 166
 - 3D crystal structure 165
 - equivalence transformation 166
 - linear combination of hydrogen orbitals 167, 168
 - normal modes 168
 - polarization selection rules 168
 - Raman active 168
 - tetrahedral bonding 125
- nondegenerate $\mathbf{k} \cdot \mathbf{p}$ perturbation
 - theory at a Δ point *see* $\mathbf{k} \cdot \mathbf{p}$ perturbation theory, 324–326
 - carrier pockets for electrons and holes 324, 326
 - compatibility relations 325, 326
 - $E(k)$ for cubic semiconductors at high symmetry points 324
 - extrapolation method 324
 - group III–V semiconductors (GaAs, InSb) 325
 - group IV semiconductors (Si, Ge) 325
 - interpolation method 324
 - longitudinal matrix elements 325, 326
 - transformation of p and $\mathbf{k} \cdot \mathbf{p}$ 325, 326
 - vanishing of first order term 326
- nonsymmorphic groups 190, 220
 - multiplier algebra 220, 221
 - multiplier groups 220
 - phase factor 220
 - relevant representations 220
 - small representation 221
- nonsymmorphic space groups 190, 196–198, 220, 221, 230, 294–298
 - definition 189
 - diamond structure #227 196, 198, 230–235, 294–296
 - energy bands sticking together 294–296, 298
 - essential degeneracies 298
 - factor group 190, 220
 - glide plane 198
 - glide plane translation 189
 - group $p2mg$ 294–296

- group of the wave vector 294, 296
- hexagonal close packed structure
 - group #194 294–296
- point group operations 189, 230
- screw axis 189, 197, 198
- tetragonal space groups 197, 198
- translation 220, 230
- normal modes 147–154, 159–161, 163–168, 177
 - antisymmetric stretch mode 154
 - basis function 149, 150, 161
 - breathing mode 154, 163
 - C₂H₂ molecule 164–166
 - CH₄ molecule 152, 153, 168
 - clusters of 3 hydrogen atoms at corners of equilateral triangle 149, 152, 176
 - CO molecule 162, 164, 165
 - degeneracies 147
 - degrees of freedom 150
 - dimensionality 150
 - eigenfunction 149
 - equivalence transformation 154
 - for linear molecules 161
 - H₂O molecule 153–156, 177
 - infrared active 149, 151, 153, 157–160, 176
 - irreducible representation 150
 - linear molecules 161–166, 177
 - mode mixing between modes with same symmetry 168
 - molecular rotation 151
 - molecular translation 150, 151
 - NH₃ molecule 166–168, 176, 177
 - normal mode amplitudes 148
 - normal mode frequencies 148
 - normal mode matrix 150
 - orthogonality 151
 - orthonormality 152
 - phase related normal modes 168
 - planar NH₃ molecule 176
 - projection operators 152
 - Raman active 149, 151, 153, 159–161, 176
 - secular equation 148
 - selection rules 151, 158
 - symmetric stretch mode 154
 - symmetry 147–151, 163
 - tetrahedron 152, 153
- O₂ molecule 163
 - equivalence transformation 163
 - molecular vibration 163
- one-electron Hamiltonian 183
 - invariant under symmetry operations 183
- order of a class 10
 - definition 10
- order of a group 6, 28, 40
 - example for $P(3)$ 40
 - proof of theorem 40
- order of a subgroup 8, 9
- order of an element 6
 - definition 6
- order of group 40
- orthogonality of basis functions 99, 100
 - partners 99, 100
 - scalar product 100
 - selection rules 100
- orthogonality theorem 19, *see* Wonderful Orthogonality Theorem
- orthonormality relation 28
- overtones 156, 157
 - CH₄ molecule 156, 157
 - direct product 156
 - infrared active 156, 157
 - irreducible representations 156, 157
 - Raman active 156, 157
- $P(3)$ 13, 16, 37, 42, 443–448, 543
- $P(4)$ 13, 448–451, 544
- $P(5)$ 451, 452, 544
- $P(6)$ 451–453, 545
- $P(7)$ 451–453, 546
- period of an element 6, 7
- periodic boundary conditions 211
- permutation group of three objects 37, 42
- permutation groups 3, 5, 13, 15, 16, 431–454
 - antisymmetric representation 433
 - antisymmetric states 432
 - basis functions 434, 437–440, 443
 - classes 434–437
 - classification of many electron states 431
 - commutation of permutation operations with Hamiltonian 432

- cycle structure 434, 435
- equivalent electron and hole
 - configuration 450, 451, 453
- example 13
- five-electron states 434, 451–454
- four-electron states 434, 448–451
- group operations 432
- identity 432
- inverse 432
- irreducible representations 434, 436, 438, 439
- multiplication 432
- notation 432, 440
- number of elements 432
- orbital states 442
- $P(3)$ 13, 16
- $P(4)$ 13
- Pauli principle 432, 433, 440, 442, 443
- regular representation 439, 440
- six-electron states 454
- Slater determinant 433, 440
- symmetric representation 433
- symmetric states 432
- symmetry properties of tensors 431, 458–463
- three-electron states 434, 444, 445, 447, 448
- two-electron states 434, 440–443
- Perovskite structure 247–250
 - acoustic 242, 245
 - equivalence transformation 247
 - infrared activity 250
 - LA mode 245
 - LO mode 245
 - optical 245
 - phonon modes 247–250
 - TA mode 245
 - TO mode 245
- phonon dispersion relations 242, 243
 - branches 244, 245
 - for germanium 243
 - high symmetry points 243
 - mode degeneracies 243
 - optical modes 242
 - phonon branches stick together 243
- phonon modes *see also* lattice modes, 241–277
- 2D graphite at K point 258
- α -quartz 262, 268, 269
- diamond structure 250
- graphene 262
- NaCl structure 246, 247
- nonsymmorphic structure 268
- Perovskite structure 247–250, 256
- tellurium 262, 268
- π -bonding 113, 134–141
 - angular momentum states 137–139
 - bond direction 135
 - characters 135
 - directed valence bonds 135, 137–140
 - equilateral triangle 137, 138
 - equivalence transformation 137, 138
 - irreducible representation 135, 140
 - linear combination of atomic orbitals 135, 137
- p -states 135
 - polarization 140
 - transformation of vector 139
- piezoelectric third rank tensor under various symmetries 476
- plane wave basis functions for double group representations 361, 362
- $Pm\bar{3}m (O_h^1)$ group #255 FCC 222
- $Pm\bar{3}m (O_h^{11})$ group 223
 - Brillouin zone 223
 - high symmetry axes and points 223
- point group 29, 48, 49
 - $C_{\infty v}$ and $D_{\infty h}$ groups 53
 - classification 48–53
 - cubic groups 50, 52
 - cyclic groups 50
 - Hermann–Mauguin notation 48–50
 - hexagonal group 49, 481–483
 - horizontal planes 50
 - icosahedral groups 49, 52, 483–485
 - improper rotation 50
 - inversion symmetry 50
 - monoclinic group 49, 480
 - orthorhombic group 49, 480
 - proper rotation 50
 - rhombohedral group 49, 481
 - Schoenflies notation 48–50
 - stereogram 50, 52
 - tetragonal groups 49, 480, 482
 - triclinic groups 49, 479
 - vertical mirror planes 50

- point group character tables 29–55, 479–487
- projection operators 64–67, 72, 117, 152
 - action on arbitrary function 64–67
 - action on irreducible representation 66, 67
 - definition 64
 - diagonal elements 65
 - matrix representation 65
 - partners 64
- quantum mechanics 70–72
 - commuting operations 70
 - finding linear combination of wave functions 72
 - group of Schrödinger's equation 70
 - higher to lower symmetry 72
 - matrix representation 70
- Raman effect 159–161
 - anti-Stokes component 159
 - basis functions 161
 - diagonal components 160, 161
 - electron–photon interaction 160
 - electron–photon scattering 160
 - first-order process 159
 - induced dipole moment 159
 - intermediate state 160
 - inversion symmetry 160
 - matrix elements 159, 160
 - off-diagonal components 160, 161
 - polarizability tensor 159–161
 - Raman Hamiltonian 159–161
 - second rank symmetric tensor 159–161
 - second-order process 159, 160
 - selection rules 160, 161
 - Stokes component 159
 - transformation properties 160
- Rayleigh scattering 159
- rearrangement theorem 7, 8, 21, 37
- reciprocal space 210, 211, 503
 - bands sticking together 507
 - Brillouin zone 211
 - lattice vector 210
 - orthonormality relation 210
 - primitive translation vector 210
 - reciprocal lattice vectors 210
- reducible representation 17, 18, 33, 34
- regular octahedron 85
- regular representation 37–40, 439
 - decomposition theorem 39
 - definition 37
 - dimensions 439, 440
 - example from $P(3)$ 37, 40
 - irreducible representations of 39
 - multiplication of two elements 37
 - order of regular representation 40, 439, 440
 - Slater determinant 440
- representation of translation group 211–213
 - Abelian groups 211, 212
 - Bloch theorem 212
 - commuting operators 211
 - crystal symmetry 212
 - number of group elements 212
 - number of irreducible representations 211, 212
 - periodic boundary condition 212
 - phase factors 212
- representation theory 15, 19
 - basic theorem 15
- representations 5, 15, 17, 28, 29
 - arbitrariness 29
 - by a matrix 5
 - definition 5, 15
 - dimensionality 28, 29
 - faithful 15
 - irreducible representation 17
 - reducible representation 17
 - unfaithful 15
 - vector space 28
- restoring forces 147
- rhombohedral graphite 502
- rigid rotator 170–172
 - Hamiltonian 170, 171
 - linear HCl molecule 171, 172
 - optical transitions 171, 172
 - principal moments of inertia 171
 - selection rules 171
 - Wigner–Eckart theorem 171
- rotational energy levels 170, 172
 - infrared spectra 171–173
 - Raman spectra 171–173
- rigid rotator 170–172
 - selection rules 172, 173

- typical energy range 170
- rotational spectra 170–173
 - circular polarization 173
 - polarization effect 171, 173
 - rotational–vibrational interaction 171, 173
 - Wigner–Eckart theorem 172, 173
- Schoenflies symmetry notation 31, 44, 479
- Schur’s lemma 19, 21–25
- screw axis 186, 187, 197, 198
 - diamond screw 198
 - left-hand 186
 - n -fold 187, 198
 - notation 187
 - right-hand 186
 - unit cell translation 188
- second orthogonality theorem 36, 37, 43, 55
- secular equation for valence band
 - of group IV semiconductor 375–377, 399
 - k -dependent spin–orbit splitting 377
- selection rules 97, 98, 105–107, 109, 110, 147, 173
 - cubic symmetry 98, 106, 109
 - definition 97
 - direct product 105, 107, 108
 - electric dipole 98, 106–110
 - electromagnetic interaction 97, 106, 108
 - group of Schrödinger’s equation 105, 106, 109
 - higher to lower symmetry 107, 108
 - infrared active 147, 173
 - linear diatomic molecule 173
 - momentum 106
 - odd parity 107
 - orthogonality 105
 - polarization effects 108, 109
 - Raman active 147, 173
 - rotational transitions 173
 - tetragonal symmetry 108
 - transformation properties of vector 106–109
- self-conjugate 9
- self-conjugate subgroup 10, 13
 - definition 10
 - left coset 10
 - right coset 10
- setting up character tables 41–43
 - number of classes 41
 - number of irreducible representations 41
- SF₆ molecule 133, 134, 143
- SH₆ molecule 129, 143
- σ -bonding 113, 134–139
 - characters 135
 - directed valence bonds 135, 137–139
 - equilateral triangle 137, 138
 - equivalence transformation 137, 138
 - example 136–139
 - irreducible representation 135
 - linear combination of atomic orbitals 135–137
 - p -states 135
 - s -states 135
- silent modes 160
- simple cubic lattice 225
 - basis functions 224
 - character tables at high symmetry points 224, 225
 - compatibility relations 227
 - group of the wave vector at high symmetry points 223, 226, 227
- site symmetries 196
- six-electron states 454, 545
- Slater–Koster method 305, 306, 389–400
 - angular momentum matrices 391, 392
 - basis matrices 391, 392
 - Bloch functions 391
 - connection to $\mathbf{k} \cdot \mathbf{p}$ perturbation theory 396
 - contributions to Fourier expansion 395–397
 - coupled bands 391
 - $E_n(\mathbf{k})$ is periodic in k space 389
 - energy bands at high symmetry points 389
 - energy dispersion for FCC structure at high symmetry points 400
 - energy eigenvalues found at all \mathbf{k} values by diagonalizing the matrix Hamiltonian 397

- evaluating expansion parameters
 - by comparing energies to experiments theory 397
- expansion parameters 390, 391, 395, 397
- Fourier expansion for $E(k)$ bands 390, 394–399
- germanium 389, 390, 399
- Hamiltonian 391
- interacting p -bands 394–398
- interpolation method 389, 390
- irreducible representations 395
- matrices spanning space 391–394
- neighbor distances 390, 394, 395
- nondegenerate bands 391
- overlap integrals 390
- partners of irreducible representations 392, 394
- reciprocal lattice vectors 394
- scalar products of symmetrized
 - Fourier functions and basis functions 394
- secular determinant 391, 400
- silicon 389, 399
- solutions of matrix Hamiltonian 397
- symmetrized basis matrices 391, 395–400
- symmetrized Fourier functions 394–398
- symmetry restricted number of independent expansion coefficients 390
- Taylor's expansion at high symmetry points 400
- tight binding approximation 390
- Slater–Koster model 305, 306
- small representations 221
 - group of the wave vector 221
- SnO_2 275, 276
 - crystal structure 276
 - lattice modes 276
- sp^2 planar carbon bonding 136–139
- space group 211, 214–216
- space group determination 206, 208
 - carbon nanotubes 208
 - graphite 208
- International Crystallography Tables 206
- site symmetries 206
- Wyckoff positions 206, 208
- space group operations 183–186, 189, 190, 208
 - associative law 185
 - commutation 185
 - definitions 184, 185
 - glide plane 183, 187, 189
 - identity 185
 - inverse 185
 - inversion 185
 - matrix representation 185, 187
 - multiplication 184, 185
 - notation 183–185, 187, 189
 - point group operations 183, 184, 189
 - rotations 184
 - screw axes 183, 186, 189
 - translations 183, 184
- space groups 29, 183, 184, 189, 190, 195, 198, 205, 206
 - Bravais lattice 190–198, 207
 - crystal structure determination 205–207
 - definitions 189
 - diamond structure 195, 207
 - direct product group 190
 - equivalence transformation 206
 - factor group 190
 - group of the wave vector 214–219
 - irreducible representations 190
 - line group 204
 - nonsymmorphic 183, 189, 190, 198, 207
 - point group operations 183, 190, 214, 215
 - semi-direct product 189
 - subgroups 189, 190
 - symmorphic 183, 189, 190, 198, 207
 - translations 214
 - two-dimensional 198–203, 207, 211
 - wave vector 215
- space groups in reciprocal space 209
 - Bravais lattices 209
 - dispersion relations 209
 - group of the wave vector 209
 - nonsymmorphic 209
 - symmorphic 209
- spherical harmonics 82
- spin Hamiltonian 426, 427
 - magnetic field effect 426

- spin-orbit interaction 81, 337–339, 348
 - addition of angular momentum 338
 - band degeneracies 340
 - doubly degenerate 348
 - Dresselhaus spin-orbit term 340
 - expectation value of $\mathbf{L} \cdot \mathbf{S}$ 338
 - germanium along high symmetry axes 339, 340
 - good quantum numbers 338
 - half-integral spin 337, 338
 - Hamiltonian breaks into block diagonal form 348
 - $|j, \ell, s, m_j\rangle$ representation 338
 - Kramers degeneracy 340, 348
 - lifting degeneracy 338
 - linear k term in $E(k)$ 348
 - magnitude 339
 - notation 340
 - relativistic corrections 348
 - spin and orbital wave functions 339
 - spin angular momentum and magnetic moment 337
 - spin-orbit splitting in crystals 339, 340, 348
 - time reversal symmetry 340, 348
 - wave vector dependence 339, 340
 - Zeeman splitting in an external magnetic field 338, 339
- star of a wave vector 214, 215, 217, 235
 - 2D space groups 215, 217, 235
 - at $\mathbf{k} = 0$ 215, 217
 - at general \mathbf{k} point 215
 - at high symmetry points 217
 - at zone boundary 217
 - definition 215
 - effect of translations 214
 - reciprocal lattice vector 214
 - symmetry elements 218
- structure of nanotube 205
 - achiral 205
 - armchair 205
 - chiral 205
 - line group symmetry 205
 - zigzag 205
- subgroup 6–8, 10
 - definition 6
 - self-conjugate 10
- symmetry based energy band models 305, 306, 316
 - $\mathbf{k} \cdot \mathbf{p}$ perturbation theory 305, 306
 - Slater–Koster model 305, 306
- symmetry lowering 194
 - point group symmetry lowering 194
- symmetry notation 44–48
 - abbreviated notation 47
 - compound rotation–inversion 45
 - dihedral plane 45
 - Hermann–Mauguin 44, 46, 47
 - identity operation 44
 - improper rotation 45, 48
 - mirror planes 47, 48
 - proper rotation 48
 - reflection in a plane 45
 - rotating about an axis 44, 47, 48
 - Schoenflies notation 44, 46, 47
 - semi-infinite groups 46
 - symmetry groups 46
- symmetry properties of tensors 455–477
 - antisymmetric second rank tensor 458
 - complete isotropy 457
 - effect of crystal symmetry 457, 460
 - effect of permutations 460
 - elastic constant tensor 457, 459, 467–477
 - electrical conductivity tensor 455, 456
 - fourth rank tensor 455
 - full rotation group 457
 - fully symmetric irreducible representation $L = 0$ 463
 - independent coefficients for various tensors and symmetries 457, 460–466, 471–476
 - irreducible representation 459
 - momentum configuration 459
 - nonlinear elastic modulus under permutation symmetry 476
 - number of times the totally symmetric representation is contained in the direct product of coupling tensors 462
 - p^2 configuration 458
 - p^3 configuration 458
 - Pauli allowed state 459
 - permutation symmetry 455
 - piezoelectric tensor 456, 459, 476

- polarizability tensor 455, 456, 459
- second rank tensor 455, 456
- strain tensor 457
- stress tensor 457
- symmetric third rank tensor 455, 456, 458
- tensor components equal to one
 - another 457
- theory of independent components of tensors 462
- transformation properties of tensors
 - under permutations 458, 459
- symmorphic space groups 189, 192–194, 196, 198–203
 - Bravais lattice 192, 194
 - equivalence transformation site symmetry 196
 - International Crystallographic Tables 192
- table of direct products for double groups O and T_d 523
- table of group of the wave vector at various symmetry points 508
 - space group #166 509
 - space group #194 509
 - space group #221 508
 - space group #225 508
 - space group #227 508
 - space group #229 508
- tables for 3D space groups 499–520
 - character tables 510–520
- tables of double groups 521–532
 - notation 521
 - references 521
- tables of permutation groups 543–547
- T_d symmetry 125, 152
- tellurium 262–268
 - Brillouin zone 264
 - character table 262
 - crystal structure 263
 - equivalence transformation zone
 - center mode 264–266
 - infrared activity 264, 265, 267
 - lattice modes 262, 264–267
 - nonsymmorphic 262
 - normal modes 265–268, 274
 - phonon dispersion relations 264
 - polarization 264–268
 - Raman activity 264–267
 - screw axis 262, 264, 265
 - space group 262
 - z -direction 265
- tetrahedron 153
- three-dimensional graphite 274
 - compare 2D and 3D graphite 274
 - compatibility relations 274
 - infrared activity 274
 - normal modes 274
 - number of lattice modes 274
 - symmetry operations 274
- three-electron states 444–448
 - allowed states 446
 - antisymmetric irreducible representation Γ_1^a 445
 - classes 444
 - direct products 445, 446
 - group $P(3)$ 446
 - irreducible representations 444, 445
 - orbital angular momentum states 445
 - Pauli principle 445, 447, 448
 - permutations of three-electrons 444
 - spin states 445
 - symmetric irreducible representation Γ_1^s 445
- time reversal operator 21, 403, 404
 - action on momenta 403
 - action on orbital angular momentum 404
 - action on spin angular momentum 404
 - action on velocities 403
 - action on wave function 403
 - antilinear operator 404
 - commutation with Hamiltonian 404, 405
 - complex conjugation of wave functions 404
 - Pauli matrices 404, 405
 - properties of time reversal operator 404–407
 - spin–orbit interaction effects 404, 405
 - $\hat{T}^2 = +$ or -1 405
 - time evolution 403, 404
 - time-reversed conjugate 403
 - unitary operator 405

- time reversal symmetry 403–418, 422–425, 427–429, 446
 - antiunitary operator 406
 - bands sticking together 408, 413
 - breaking time reversal symmetry 427
 - complex conjugation 404, 405
 - degeneracies 413
 - effect of inversion symmetry 413
 - effect of time reversal 406–413
 - examples 414–416
 - ferrites 429
 - Frobenius–Schur test 414–416
 - graphite space group #194 427
 - Hamiltonian 429
 - Herring’s rules 408–410, 412–415
 - Kramers degeneracy 407, 412
 - magnetic field effect 428
 - magnetic groups 403, 407, 416–418, 422–425, 429
 - notation 415, 416
 - operators $(\mathbf{p}, \mathbf{L}, \boldsymbol{\sigma})$ odd under time reversal symmetry 406
 - operators $(H, \mathbf{r}, V(\mathbf{r}))$ even under time reversal symmetry 406
 - properties of time reversal operator 404–407
 - Raman effect probe 429
 - spin effects 403, 406, 411, 412, 425
 - spin Hamiltonian 403, 427
 - time evolution factor 404
 - time reversal operator 403, 405
 - zinc blende structure 429
- trace 12, 29
 - invariance 12
- Translation Group 188, 211–213, 217
 - Abelian group 211–213
 - basis function 213, 217
 - Bloch theorem 212, 213
 - commuting operator 211
 - cyclic subgroup 211
 - direct product 188
 - eigenfunction 212
 - eigenvalue of translation 213
 - factor group cosets 188
 - invariant subgroup 188
 - irreducible representation 211–213, 217
 - notation 188
 - periodic boundary condition 212
 - phase factor 213
 - quantum number 212
 - space group 188
 - three dimensions 212
 - wave vector 213
- translation subgroup 188
- translational symmetry of line groups 204
- translations in molecular vibrations 151
- transparent host crystal 79
- transposition 16
- two-band model 311–316
 - band edge wave function 312
 - degenerate first order perturbation theory 311, 312
 - dependence of density of states on energy 316
 - dependence of effective mass on energy and wave vector 315, 316
 - Kane two-band model 314
 - Lax two-band model 314, 316
 - momentum matrix elements 314
 - nearly degenerate set (NDS) 311
 - nonparabolic effects 313–316
 - number of independent matrix elements 313
 - secular equation 312, 313
 - Taylor expansion for small κ 313, 315
- two-dimensional Bravais lattices 199, 200
- two-dimensional space groups 198–200, 236, 489–498
 - 2D oblique space groups 200
 - allowed n -fold rotations 200
 - centered 200
 - contrast group #11 ($p4mm$) and group #99 ($P4mm$) 236
 - glide planes 200
 - group of the wave vector at high symmetry points in the 2D Brillouin zone 236
 - hexagonal 199, 496–498
 - International Crystallography Tables 199
 - mirror planes 200
 - nonsymmorphic 236

- notation 199, 200, 236
- oblique 199, 489, 490
- primitive 200
- rectangular 199, 490–493
- sixfold rotations 200
- space group numbers 199
- special points 200
- square 199, 494–496
- symbols for rotation 200
- symmorphic 199, 236
- two-electron states 440–443
 - antisymmetric states 440, 441
 - classes 441
 - Γ_1^a representation 441
 - Γ_{n-1} representation 441
 - ground state 440, 441
 - irreducible representations 441
 - notation 440
 - orbital state 441
 - Slater determinant 440
 - spin state 441
 - symmetric state 440
 - table of transformation properties 441
- unit cell 210
- unitarity of representation 19–22
 - theorem 19, 20
- valley–orbit interaction 328, 331–336
 - donor states for multivalley semiconductors 331, 332
 - ENDOR studies of impurity levels 334, 335
 - equivalence transformation for valley sites 332
 - example of valley–orbit interactions 328
 - experimental spectrum for valley–orbit splitting of phosphorous donors in silicon 334, 335
 - importance of tetrahedral bonding for s state 331, 332
 - linear combination of valley wave function transforming as irreducible representation of the crystal field 331–335
 - lower symmetry group not a subgroup of higher symmetry group 328
 - spatial dependence of wave functions 334, 335
 - symmetry of effective mass Hamiltonian for impurity perturbation for one valley 328
 - transformation of a vector for T_d group 333–335
 - transition from $1s$ to transverse $2p$ levels 334, 335
 - transitions between impurity levels showing valley–orbit splitting 334, 335
- vector space 28
- vibration potential function 147
 - equilibrium coordinates 147
- vibrational–rotational interaction 173–175
 - anharmonic term 174
 - combination modes 174, 175
 - experimental spectrum for HCl 175
 - harmonic restoring force 174
 - schematic spectrum for diatomic molecule such as HCl 176
 - unperturbed energies 175
- wave vector symmetry 214
 - group of the wave vector 214
 - star of a wave vector 214
- Wigner–Eckart theorem 172
 - angular momentum states 172
 - electric dipole transitions 173
 - infrared activity 173
 - principal quantum numbers 172, 173
 - Raman activity 173
 - reduced matrix element 172, 173
 - selection rules 173
 - Wigner coefficient 172, 173
- wonderful orthogonality theorem 21, 25–28, 31, 55
- wonderful orthogonality theorem for character 31, 32, 34–37, 41
- Wyckoff positions 201, 206–208, 506
 - site symmetry 201, 206
 - special points 201
- zinc blende space group #216
 - Hermann–Mauguin notation 502
 - Schoenflies notation 502

Wyckoff positions 502
zinc blende structure 252, 502
LO-TO splitting 252, 253

phonon modes 252, 253
space group 252, 502
symmorphic group 252